

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4588	display\$5 with (layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 15:56
S2	6282	display\$5 with (layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 15:58
S3	8626	display\$5 with (icon\$3) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 15:59
S4	822286	(select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 16:01
S5	14571	S1 or S2 or S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 16:01
S6	868	(S1 or S2 or S3) same S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 16:02
S7	465	display\$5 with (icon\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 16:04

S8	465	S6 and S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 16:05
S9	703	display\$5 with (icon\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3) or location\$5) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 16:06
S10	1254	display\$5 with (icon\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3) or location\$5 or position\$5) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 16:07
S11	1278	display\$5 with (icon\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3) or location\$5 or position\$5 or posit\$4) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 16:09
S12	56	display\$5 with (icon\$5) with (layout\$5 or (lay adj out\$3) or (lay\$out\$3) or location\$5 or position\$5 or posit\$4) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 16:14
S13	56	display\$5 with (icon\$5) with (layout\$5 or (lay adj out\$3) or (lay\$out\$3) or location\$5 or position\$5 or posit\$4 or locat\$5) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 16:16
S14	151	display\$5 with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3) with (have or having or contain or containing) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 16:19
S15	2602	display\$5 with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3) with (have or having or contain or containing or includ\$5) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 16:23

S16	7	S8 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 16:24
S17	150	S8 and S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 16:24
S18	306068	display\$5 with function\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 16:25
S19	62213	display\$5 with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 16:26
S20	965	display\$5 with (layout\$5 or (lay adj out\$3) or (lay\$out\$3) or location\$5 or position\$5 or posit\$4) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 16:28
S21	20243	(output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3) with (have or having or contain\$4 or includ\$4) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 16:31
S22	325	(output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3) with (have or having or contain\$4 or includ\$4) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3) with S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 16:33
S23	325	(output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3) with (have or having or contain\$4 or includ\$4) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3) with S20 with S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 16:34

S24	325	(output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3) with (have or having or contain\$4 or includ\$4) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3) with S20 with S19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 17:07
S25	37529	display\$5 with (map\$5 or location\$5 or diagram\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$5)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 17:13
S26	67377	display\$5 with (map\$5 or location\$5 or diagram\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$5)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 17:14
S27	822286	(select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 17:15
S28	809	S27 with (S25 or S26)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 17:16
S29	644085	(select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) near9 (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 17:17
S30	39	S27 with (S25 or S26) with (icon\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 17:18
S31	438	S29 with (S25 or S26)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 17:19

S32	32	S29 with (S25 or S26) with (icon\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 17:19
S33	45370	(display\$5) with (map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 17:22
S34	79922	(display\$5) with (map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 17:23
S35	1106	(display\$5) with (map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3) with (icon\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 17:24
S36	44	(display\$5) with (map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3) with (icon\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 20:44
S37	49	(display\$5) with (map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3) with (icon\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3 or feature\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 20:47
S38	14	(display\$5) with (map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3) with (icon\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3 or feature\$3) with (have or having or containing or contain\$3 or includ\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 20:49
S39	20	(display\$5) with (map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3 or imag\$3) with (icon\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3 or feature\$3) with (have or having or containing or contain\$3 or includ\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 20:50

S40	48	(display\$5) with (map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3 or imag\$3) with (icon\$3) with ((select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) near9 (function\$3 or feature\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 20:54
S41	4	(display\$5) with (map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3 or imag\$3) with (icon\$3) with ((have or having or containing or contain\$3 or includ\$3) near9 ((select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) near9 (function\$3 or feature\$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 20:58
S42	2465	(display\$5 or GUI\$3) with (map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3 or imag\$3) with (icon\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 21:01
S43	9655	(display\$5 or GUI\$3) same (map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) same (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3 or imag\$3) same (icon\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 21:02
S44	4381	(display\$5 or GUI\$3) same (map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) same (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3 or imag\$3) same (icon\$3) and ((select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) near9 (function\$3 or feature\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 21:05
S45	741	(display\$5 or GUI\$3) same (map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) same (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3 or imag\$3) same (icon\$3) same ((select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) near9 (function\$3 or feature\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 21:07
S46	48	(display\$5 or GUI\$3) with (map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3 or imag\$3) with (icon\$3) with ((select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) near9 (function\$3 or feature\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 21:08
S47	81	(display\$5 or GUI\$3) with (map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3 or imag\$3) with (icon\$3) with ((select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3 or feature\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 21:11

S48	81	(display\$5 or GUI\$3 or monitor\$5) with (map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out \$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3 or imag\$3) with (icon\$3) with ((select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3 or feature\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 21:12
S49	1653	(display\$5 or GUI\$3 or monitor\$5) same (map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out \$3) or (lay\$out\$3)) same (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3 or imag\$3) same (icon\$3) same ((select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) same (function\$3 or feature\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 21:13
S50	4979	(display\$5 or GUI\$3 or monitor\$5) same (map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out \$3) or (lay\$out\$3)) same (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3 or imag\$3) same (icon\$3) and ((select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3 or feature\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 21:14
S51	4435	(display\$5 or GUI\$3 or monitor\$5) same (map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out \$3) or (lay\$out\$3)) same (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3 or imag\$3) same (icon\$3) and ((select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) near9 (function\$3 or feature\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 21:14
S52	29206	(358/1.15,1.14,1.13,1.16,1.17,1.18,1.1,1.6,1.9,407,468,404,444,1.11,1.2,1.4,401). CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/23 09:04
S53	4094	(347/2,3,5,14,23). CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/23 09:26
S54	1208	(358/400). CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/23 09:26
S55	5246	(399/1,8). CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/23 09:26

S56	8288	(715/204,273,274,700,836,837,713,835,810,764,763,762). CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/23 09:28
S57	5993	(710/8,15,16,17,18,19,62,63,64,72). CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/23 09:31
S58	52693	S52 or S53 or S54 or S55 or S56 or S57	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 09:32
S59	4588	display\$5 with (layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 09:32
S60	839	S58 and S59	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 09:32
S61	6282	display\$5 with (layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 09:45
S62	898	S58 and S61	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 09:45
S63	8626	display\$5 with (icon\$3) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 09:46

S64	1444	S58 and S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 09:46
S65	14571	S59 or S61 or S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 09:52
S66	2226	S58 and S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 09:52
S67	822286	(select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 09:53
S68	868	(S59 or S61 or S63) same S67	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 09:53
S69	222	S58 and S68	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 09:53
S70	465	display\$5 with (icon\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 09:54
S71	119	S58 and S70	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 09:54

S72	465	S68 and S70	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 09:57
S73	119	S68 and S72	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 09:57
S74	703	display\$5 with (icon\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3) or location\$5) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 09:57
S75	134	S68 and S74	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 09:57
S76	1254	display\$5 with (icon\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3) or location\$5 or position\$5) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 10:00
S77	182	S68 and S76	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 10:00
S78	1278	display\$5 with (icon\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3) or location\$5 or position\$5 or posit\$4) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 10:03
S79	184	S68 and S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 10:03

S80	56	display\$5 with (icon\$5) with (layout\$5 or (lay adj out\$3) or (lay\$out\$3) or location\$5 or position\$5 or posit\$4) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 10:07
S81	21	S58 and S80	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 10:07
S82	56	display\$5 with (icon\$5) with (layout\$5 or (lay adj out\$3) or (lay\$out\$3) or location\$5 or position\$5 or posit\$4 or locat\$5) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 10:10
S83	21	S58 and S82	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 10:10
S84	151	display\$5 with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3) with (have or having or contain or containing) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 10:18
S85	28	S58 and S84	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 10:18
S86	2602	display\$5 with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3) with (have or having or contain or containing or includ\$5) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 10:18
S87	340	S58 and S86	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 10:18

S88	7	S72 and S84	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 10:20
S89	2	S58 and S88	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 10:20
S90	150	S72 and S86	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 10:20
S91	38	S58 and S90	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 10:20
S92	62213	display\$5 with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 10:22
S93	3210	S58 and S92	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 10:22
S94	965	display\$5 with (layout\$5 or (lay adj out\$3) or (lay\$out\$3) or location\$5 or position\$5 or posit\$4) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier \$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 10:23
S95	112	S58 and S94	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 10:23

S96	20243	(output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3) with (have or having or contain\$4 or includ\$4) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 10:27
S97	1176	S58 and S96	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 10:27
S98	325	(output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3) with (have or having or contain\$4 or includ\$4) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3) with S94	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 10:59
S99	29	S58 and S98	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 10:59
S100	306068	display\$5 with function\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 11:04
S101	325	(output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3) with (have or having or contain\$4 or includ\$4) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3) with S94 with S100	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 11:04
S102	29	S58 and S101	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 11:04
S103	325	(output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3) with (have or having or contain\$4 or includ\$4) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3) with S94 with S92	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 11:08

S104	29	S58 and S103	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 11:08
S105	37529	display\$5 with (map\$5 or location\$5 or diagram\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$5)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 11:08
S106	3267	S58 and S105	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 11:08
S107	67377	display\$5 with (map\$5 or location\$5 or diagram\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$5)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/24 07:48
S108	29206	(358/1.15,1.14,1.13,1.16,1.17,1.18,1.1,1.6,1.9,407,468,404,444,1.11,1.2,1.4,401).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/24 07:48
S109	4094	(347/2,3,5,14,23).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/24 07:48
S110	1208	(358/400).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/24 07:48
S111	5246	(399/1,8).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/24 07:48

S112	8288	(715/204,273,274,700,836,837,713,835,810,764,763,762).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/24 07:48
S113	5993	(710/8,15,16,17,18,19,62,63,64,72).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/24 07:48
S114	52693	S108 or S109 or S110 or S111 or S112 or S113	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/24 07:48
S115	3788	S114 and S107	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/24 07:48
S116	37529	display\$5 with (map\$5 or location\$5 or diagram\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$5)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/24 07:48
S117	822286	(select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/24 07:48
S118	809	S117 with (S116 or S107)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/24 07:48
S119	91	S114 and S118	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/24 07:48

S120	39	S117 with (S116 or S107) with (icon\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/24 07:50
S121	10	S114 and S120	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/24 07:50
S122	644085	(select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) near9 (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/24 07:51
S123	438	S122 with (S116 or S107)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/24 07:51
S124	75	S114 and S123	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/24 07:51
S125	32	S122 with (S116 or S107) with (icon\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/24 07:52
S126	8	S114 and S125	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/24 07:52
S127	45370	(display\$5) with (map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/24 07:53

S128	3622	S114 and S127	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/24 07:53
S129	79922	(display\$5) with (map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/24 07:55
S130	4208	S114 and S129	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/24 07:55
S131	1106	(display\$5) with (map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3) with (icon\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/24 07:56
S132	216	S114 and S131	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/24 07:56
S133	44	(display\$5) with (map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3) with (icon\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/24 07:57
S134	13	S114 and S133	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/24 07:57
S135	49	(display\$5) with (map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3) with (icon\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3 or feature\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/24 08:01

S136	29206	(358/1.15,1.14,1.13,1.16,1.17,1.18,1.1,1.6,1.9,407,468,404,444,1.11,1.2,1.4,401).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/24 08:01
S137	4094	(347/2,3,5,14,23).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/24 08:01
S138	1208	(358/400).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/24 08:01
S139	5246	(399/1,8).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/24 08:01
S140	8288	(715/204,273,274,700,836,837,713,835,810,764,763,762).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/24 08:01
S141	5993	(710/8,15,16,17,18,19,62,63,64,72).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/24 08:01
S142	52693	S136 or S137 or S138 or S139 or S140 or S141	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/24 08:01
S143	16	S142 and S135	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/24 08:01

S144	14	(display\$5) with (map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3) with (icon\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3 or feature\$3) with (have or having or containing or contain\$3 or includ\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/24 08:02
S145	5	S142 and S144	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/24 08:02
S146	20	(display\$5) with (map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or develop\$5)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3 or imag\$3) with (icon\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3 or feature\$3) with (have or having or containing or contain\$3 or includ\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/24 08:04
S147	5	S142 and S146	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/24 08:04

1/24/2009 7:04:37 PM

H:\Workspaces\09082127.01222009.1.wsp